Index of Authors

ANDREWS, B. J. *See* BICKLE, Q. D.

BANAJA, A. A. *See* RILEY, J.
BARNES, P. E. *See* WILSON, R. A.
BARRETT, J. *See* MORENO, SANCHEZ M.
BATTYE, F. L. *See* HOWARD, R. J.
BICKLE, Q. D., TAYLOR, M. G., JAMES, E. R., NELSON, G. S., HUSSEIN, M. F., ANDREWS, B. J., DOBINSON, A. R. and MARSHALL, T. F. DE C. Further observations on immunization of sheep against *Schistosoma mansoni* and *S. bovis* using irradiation-attenuated schistosomula of homologous and heterologous species, 185
BOMFORD, R. and MCHARDY, N. *Corynebacterium parvum* as an adjuvant for *Trypanosoma cruzi* epimastigote vaccines: a comparison with saponin and *Bordetella pertussis*, 77
BORGSTEEDE, F. H. M. and HENDRIKS, J. Experimental infections with *Cooperia oncophora* (Railliet, 1918) in calves. Results of single infections with two graded dose levels of larvae, 331
BOXRUCKER, J. C. Effects of a thermal effluent on the incidence and abundance of the gill and intestinal metazoan parasites of the black bullhead, 195
BUSH, P. J. *See* HIGBY, G. C.

CALICH, V. L. G. *See* KIPNIS, T. L.
CANNING, ELIZABETH U. *See* HIGBY, G. C.
CHEN, S. N. and HOWELLS, R. E. The uptake *in vitro* of dyes, monosaccharides and amino acids by the filarial worm *Brugia pahangi*, 343
CHOPRA, ASHOK, K. *See* PREMVATI, G.
CHRISTIE, P. R., WAKELIN, D. and WILSON, M. M. The effect of the expulsion phase of *Trichinella spiralis* on *Hymenolepis diminuta* infection in rats, 323
CLEGG, J. A. *See* SMITH, M. A.
COHEN, S. *See* LANGHORNE, J.

DARGIE, J. D., MURRAY, P. K., MURRAY, MAX, GRIMSHAW, W. R. T. and MCINTYRE, W. I. M. Bovine trypanosomiasis: the red cell kinetics of Ndama and Zebu cattle infected with *Trypanosoma congolense*, 271
DIAS DA SILVA, W. *See* KIPNIS, T. L.
DOBINSON, A. R. *See* BICKLE, Q. D.
DOENHOFF, M. and LONG, E. Factors affecting the acquisition of resistance against *Schistosoma mansoni* in the mouse. IV. The inability to T-cell-deprived mice to resist re-infection, and other *in vivo* studies on the mechanism of resistance, 171
DOJIRI, MASAHIRO. Two new species of *Lepeophtheirus* (Copepoda: Caligidae) parasitic on fishes from southern California waters, 251

GRIMSHAW, W. R. T. *See* DARGIE, J. D.

HEALY, J. A. Phosphoglucomutase polymorphism in the tick *Ixodes ricinus*, 7
HENDRIKS, J. *See* BORGSTEEDE, F. H. M.
HIGBY, G. C., CANNING, ELIZABETH U., PILLEY, BARBARA M. and BUSH, P. J. Propagation of *Nosema eurytremae* (Microsporida: Nosematidae) from trematode larvae, in abnormal hosts and in tissue culture, 155
HIGGINS, J. C. The role of the tegument of the metacercarial stage of *Bucephalus haimeanus* (Lacaze-Duthiers, 1854) in the absorption of particulate material and small molecules in solution, 99
HOWARD, R. J. and BATTYE, F. L. *Plasmodium berghei*-infected red cells sorted according to DNA content, 263
HOWELLS, R. E. *See* CHEN, S. N.

HUSSEIN, M. F. *See* BICKLE, Q. D.

JAMES, E. R. *See* BICKLE, Q. D.
JAMES, J. L. *See* RILEY, J.
JOYNER, L. P. *See* ROLLINSON, D.

KENNEDY, M. W., WAKELIN, D. and WILSON, MARGARET M. Transplantation of adult *Trichinella spiralis* between hosts: worm survival and immunological characteristics of the host–parasite relationship, 121
KIPNIS, T. L., CALICH, V. L. G. and DIAS DA SILVA, W. Active entry of bloodstream forms of *Trypanosoma cruzi* into macrophages, 89

LANGHORNE, J. and COHEN, S. *Plasmodium knowlesi* in the marmoset (*Callithrix jacchus*), 67
LE JAMBRE, L. F., ROYAL, W. M. and MARTIN, P. J. The inheritance of thiabendazole resistance in *Haemonchus contortus*, 107
LONG, E. *See* DOENHOFF, M.
LONG, P. L. and MILLARD, B. J. Rejection of *Eimeria* by foreign hosts, 239
LONG, P. L. and MILLARD, B. J. Studies on *Eimeria dispersa* Tyzzer 1929 in turkeys, 41

MACCORMICK, C. *See* WATTS, S. D. M.
MARSHALL, T. F. DE C. *See* BICKLE, Q. D.
MARTIN, P. J. *See* LE JAMBRE, L. F.
MCHARDY, N. *See* BOMFORD, R.
MCINTYRE, W. I. M. *See* DARGIE, J. D.
MILLARD, B. J. *See* LONG, P. L.
MORENO, SANCHEZ M. and BARRETT, J. Monoamine oxidase in adult *Hymenolepis diminuta* (Cestoda), 1
MURRAY, MAX. *See* DARGIE, J. D.
MURRAY, P. K. *See* DARGIE, J. D.

NELSON, G. S. *See* BICKLE, Q. D.
NORTON, C. C. *See* ROLLINSON, D.

ORPIN, A. *See* WATTS, S. D. M.

PANITZ, E. Efficacy and cross-resistance studies on *N,N'-bis* (3,4 ditrifluoromethylphenyl) methylmalonamide, a novel anticoccidial agent, 33
PILLEY, BARBARA M. *See* HIGBY, G. C.
PREMVATI, G. and CHOPRA, ASHOK, K. *In vitro* variation of glycogen content in three sheep nematodes, 355

RILEY, J., JAMES, J. L. and BANAJA, A. A. The possible role of the frontal and sub-parietal gland systems of the pentastomid *Reighardia sternae* (Diesing, 1864) in the evasion of the host immune response, 53
ROLLINSON, D., JOYNER, L. P. and NORTON, C. C. *Eimeria maxima*: the use of enzyme markers to detect the genetic transfer of drug resistance between lines, 361
ROYAL, W. M. *See* LE JAMBRE, L. F.

SCHILDKNECHT, E. G. and SQUIBB, R. L. The effect of vitamins A, E and K on experimentally induced histomoniasis in turkeys, 19
SHERLOCK, P. L. *Diplocystis tipulae* sp.nov. (Sporozoa: Eugregarinorida), a parasite of *Tipula paludosa* Meigen (Diptera: Tipulidae), 207
SHIRLEY, M. W. A reappraisal of the taxonomic status of *Eimeria mivati* Edgar and Seibold 1964, by enzyme electrophoresis and cross-immunity tests, 221
SMITH, M. A. and CLEGG, J. A. Different levels of immunity to *Schistosoma mansoni* in the mouse: the role of variant cercariae, 311
SQUIBB, R. L. *See* SCHILDKNECHT, E. G.

TAYLOR, M. G. *See* BICKLE, Q. D.

WAKELIN, D. *See* CHRISTIE, P. R.
WAKELIN, D. *See* KENNEDY, M. W.
WATTS, S. D. M., ORPIN, A. and MACCORMICK, C. Lysosomes and tegument pathology in the chemotherapy of schistosomiasis with 1,7-*bis* (*p*-aminophenoxy) heptane (153C51), 287
WHARTON, D. A. Oogenesis and egg-shell formation in *Aspiculuris tetraptera* Schulz (Nematoda: Oxyuroidea), 131
WHARTON, D. A. The structure of the egg-shell of *Aspiculuris tetraptera* Schulz (Nematoda: Oxyuroidea), 145
WILSON, MARGARET M. *See* KENNEDY, M. W.
WILSON, M. M. *See* CHRISTIE, P. R.
WILSON, R. A. and BARNES, P. E. Synthesis of macromolecules by the epithelial surfaces of *Schistosoma mansoni*: an autoradiographic study, 295

Index of Subjects

Anthelmintics, inheritance of resistance to thiabendazole in *Haemonchus contortus*, 107
Anticoccidial drugs, efficacy and cross-resistance studies on *N,N-bis* (3,4 ditrifluoromethylphenyl) methylmalonamide, 33
Antihistomonal agents, effect of in combination with vitamins A, E and K, 19
Aspiculuris tetraptera, oogenesis and egg-shell formation in, 131
structure of the egg-shell of, 145
Autoradiography, use of in study of synthesis of macromolecules by *Schistosoma mansoni*, 295
1,7-*bis* (*p*-aminophenoxy) heptane, effects of on *Schistosoma mansoni*, 287

Bovine trypanosomiasis, a study of erythrokinetics in, 271
mechanisms causing anaemia in, 271
Brugia pahangi, *in vitro* uptake of nutrients by, 343
Bucephalus haimeanus, role of the tegument of the metacercarial stage of, 99
Bullhead, effects of thermal effluent on the metazoan parasites of, 195

Callithrix jacchus, susceptibility of to different variants of *Plasmodium knowlesi*, 67
Cercariae, heterogeneity of affects the level of immunity in *Schistosoma mansoni*-infected mice, 311
Cooperia oncophora, experimental infections of in calves, 331
Copepods, description of two new species of *Lepeophtheirus*, 251
Corynebacterium parvum, comparison of with saponin and *Bordetella pertussis* as adjuvants for vaccines, 77
Cross-resistance, studies of in *Eimeria* spp. using *N,N'-bis* (3,4 ditrifluoromethylphenyl) methylmalonamide, 33
Cuticle, role of in nutrient uptake by *Brugia pahangi*, 343

Diplocystis tipulae, life-cycle of, 207
Diplocystis tipulae sp.nov., a parasite of *Tipula paludosa*, 207
DNA content, differences in, used as a method of sorting *Plasmodium*-infected and uninfected erythrocytes, 263
Drug resistance, detection of genetic transfer of in *Eimeria maxima*, 361

Egg-shell, study of formation of in *Aspiculuris tetraptera*, 131
study of the structure of in *Aspiculuris tetraptera*, 145
layers, nomenclature of for *Aspiculuris tetraptera*, 145
Eimeria dispersa Tyzzer 1929, studies of in turkeys, 41
Eimeria maxima, detection of genetic transfer of drug resistance between different lines of, 361
Eimeria mivati, a reappraisal of the taxonomic status of, 221
Eimeria spp., effects of *N,N'-bis* (3,4 ditrifluoromethylphenyl) methylmalonamide on, 33
rejection of by foreign hosts, 239
Electrophoretic mobility, of isoenzymes of *Eimeria maxima*, 361
Enzyme electrophoresis, use of to differentiate between *Eimeria mivati* and *E. acervulina*, 221
Enzymes, comparison of electrophoretic mobility patterns of in *Eimeria* spp., 221
Epithelia, autoradiography of in *Schistosoma mansoni*, 295
Erythrocytes, analysis and separation of in *Plasmodium*-infected blood, 263
Erythrokinetics, study of in bovine trypanosomiasis, 271

Fish parasites, effects of water temperature on the incidence and abundance of, 195
Frontal gland system, role of in evasion of the host immune response by *Reighardia sternae*, 53

Glucose phosphate isomerase, mobility of from *Eimeria dispersa* Tyzzer 1929, 41
Glycogen, *in vitro* variation of content of in sheep nematodes, 355
Guinea fowl, survival of sporozoites of *Eimeria* spp. in, 239

Haemocoelic gregarine, description of *Diplocystis tipulae* sp.nov., 207
Haemonchus contortus, inheritance of thiabendazole resistance in, 107
in vitro glycogen content in, 355
Host immune response, mode of evasion of by *Reighardia sternae*, 53
Host–parasite relationship, studies of by direct transplantation of helminths into host intestines, 121
Histomonas meleagridis, effect of vitamins A, E and K on in turkeys, 19
Histomoniasis, effect of vitamins A, E and K on in turkeys, 19
Hymenolepis diminuta, effect of *Trichinella spiralis* on infection by in rats, 323
monoamine oxidase activity in homogenates of, 1

Immune response, of the mouse host to direct transplantation of *Trichinella spiralis*, 121
Immunity, variation in levels of in *Schistosoma mansoni*-infected mice, 311
Immunization, of sheep against schistosomes, using irradiation-attenuated schistosomula, 185
Immunosuppression, effect of on the resistance of mice to infection with *Schistosoma mansoni*, 171
Infection dynamics, a study of in *Cooperia oncophora*-infected calves, 331
Inflammatory response, role of in concurrent *Trichinella spiralis* and *Hymenolepis diminuta* infections, 323
Isoenzymes, electrophoretic mobilities of in different lines of *Eimeria* maxima, 361
Ixodes ricinus, polymorphism of phosphoglucomutase in, 7

Lactate dehydrogenase, mobility of from *Eimeria dispersa* Tyzzer 1929, 41
Lepeophtheirus, two new species of, 251
Lysosomes, involvement of in schistosome chemotherapy, 287

Macrophages, survival of sporozoites of *Eimeria* spp. in, 239
uptake of bloodstream forms of *Trypanosoma cruzi* by, 89
Marmosets, susceptibility of to *Plasmodium knowlesi* malaria, 67
Membrane-bound enzyme, presence of in *Hymenolepis diminuta*, 1
Microsporidia, propagation of *in vivo* and *in vitro*, 155
Monoamine oxidase, presence of in homogenates of *Hymenolepis diminuta*, 1
Morphology, description of, for two new species of *Lepeophtheirus*, 251

N,N'-bis (3,4 ditrifluoromethylphenyl) methylmalonamide, efficacy of, as an anticoccidial agent, 33
Nosema eurytremae, growth of in insects and a vertebrate cell line, 155
propagation of, from trematode larvae, 155
Nutrient uptake, role of the tegument of the metacercarial stage of *Bucephalus haimeanus* in, 99
Nutrients, *in vitro* uptake of by *Brugia pahangi*, 343

Oesophagostomum columbianum, *in vitro* glycogen content in, 355
Oogenesis, study of in *Aspiculuris tetraptera*, 131

Parasitaemia, course of in marmosets in response to *Plasmodium knowlesi* infection, 67
Phagocytosis, of bloodstream forms of *Trypanosoma cruzi* by macrophages, 89
Phosphoglucomutase, polymorphism of in the tick, 7
Plasmodium berghei-infected erythrocytes, separation of according to DNA content, 263
Plasmodium knowlesi, susceptibility of marmosets to, 67
Polymorphism, of phosphoglucomutase in the tick, 7

Reighardia sternae, role of the frontal and sub-parietal gland systems of, 53

Schistosoma bovis, immunization against using irradiation-attenuated schistosomula of, 185
Schistosoma mansoni, an autoradiographical study of synthesis of macromolecules by the epithelial surfaces of, 295
different levels of immunity to in the mouse, 311
effects of 1,7-*bis* (*p*-aminophenoxy) heptane on, 287
immunization against using irradiation-attenuated schistosomula of, 185
resistance to in immunosuppressed mice, 171
Schistosomiasis, immunization of sheep against using irradiation-attenuated schistosomula, 185
Secretion, an autoradiographic study of in *Schistosoma mansoni*, 295
Starch-gel electrophoresis, use of in detecting enzyme polymorphism, 7
Sub-parietal gland system, role of in evasion of the host immune response by *Reighardia sternae*, 53

Taxonomic status, reappraisal of for *Eimeria mivati*, 221
Tegument, pathological changes in after treatment of *Schistosoma mansoni* with 1,7-*bis* (*p*-aminophenoxy) heptane, 287
role of in nutrient uptake by the metacercarial stage of *Bucephalus haimeanus*, 99
Thermal effluent, effect of on black bullhead parasites, 195
Thiabendazole, inheritance of resistance to in *Haemonchus contortus*, 107
Thymus, role of in acquired resistance to re-infection with *Schistosoma mansoni* in mice, 171
Tipula paludosa, a host for *Diplocystis tipulae* sp.nov., 207
T-lymphocytes, role of in acquisition of resistance to re-infection with *Schistosoma mansoni* in mice, 171
Transplantation, of *Trichinella spiralis* between mouse hosts, 121
Trematode larvae, propagation of *Nosema eurytremae* from, 155
Trichinella spiralis, effect of the expulsion phase of on *Hymenolepis diminuta* infection in rats, 323
transplantation of, directly into the host intestine, 121
Trichuris ovis, *in vitro* glycogen content in, 355
Trypanosoma congolense, erythrocyte kinetics in cattle infected with, 271
Trypanosoma cruzi, active entry of bloodstream forms of into macrophages, 89
Trypanosoma cruzi vaccines, comparison of adjuvants used in, 77

Vaccines, use of *Corynebacterium parvum* as an adjuvant in, 77
Vitamins, effect of on experimentally induced histomoniasis in turkeys, 19

Water temperature, effect of on the parasites of the black bullhead, 195

A new international journal published in English by Dr. W. Junk bv Publishers, P.O. Box 13713, 2501 ES The Hague, The Netherlands.

systematic parasitology

editor in chief
Dr. Sheila Willmott
Commonwealth Institute of Helminthology
St. Albans England

co editors
R. C. Anderson (Canada)
J. R. Baker (England)
I. Beveridge (Australia)
A. G. Chabaud (France)
L. Euzet (France)
M. T. Franklin (England)
Z. Kabata (Canada)
J. J. Laarman (The Netherlands)
J. C. Pearson (Australia)
G. D. Schmidt (USA)

This new journal is being produced as a direct response to the increasing recognition of the fundamental importance of sound systematics in biology, especially as applied to those parasitic organisms which affect the health of man, animals and plants throughout the world.

In scope, it will cover Nemathelminthes (including plant parasites), Platyhelminthes, parasitic Arthropoda and Protozoa, and parasitic genera in other invertebrate groups.

The highest scientific standards of work will be required and descriptions of new taxa will not normally be accepted unless specimens are made available for scrutiny by the referees.

Initially, the journal will be issued quarterly, the first part to appear early in 1979. Papers, brief communications and research notes describing original work and major revisions of a high standard will be acceptable for publication. It is the aim to publish within six months of acceptance.

Subscription information.
The subscription price for volume 1 (4 issues), 1979, is Dfl. 120,00 plus Dfl. 18,50 for postage and handling.
Private subscribers are entitled to a 50% discount on the subscription price (i.e. Dfl. 60,00 plus Dfl. 18,50 for postage and handling).
Orders should be sent to our distribution centre: Kluwer Academic Publishers Group, P.O. Box 322, 3300 AH Dordrecht, The Netherlands.

PARASITOLOGY

PARASITOLOGY

(Founded by G. H. F. Nuttall, F.R.S.)

EDITORS

D. W. T. CROMPTON *and* B. A. NEWTON

EDITORIAL ASSISTANT

M. ELISABETH PAINTER, Ph.D.

ADVISORY BOARD

GWENDOLEN REES, F.R.S. (*Chairman*)

R. ANDERSON	D. I. GIBSON	J. H. ROSE
D. R. ARTHUR	L. G. GOODWIN, F.R.S.	J. F. RYLEY
J. R. BAKER	L. P. JOYNER	G. SALT, F.R.S.
J. BARRETT	C. R. KENNEDY	S. R. SMITHERS
ELIZABETH U. CANNING	ANN M. LACKIE	K. VICKERMAN
L. H. CHAPPELL	D. L. LEE*	D. WAKELIN
S. COHEN	R. J. LINCOLN	P. F. V. WARD
R. R. A. COOMBS, F.R.S.	J. LLEWELLYN	P. J. WHITFIELD
F. E. G. COX	S. H. P. MADDRELL	H. H. WILLIAMS
G. A. M. CROSS	BRIDGET M. OGILVIE	R. A. WILSON
D. A. ERASMUS	M. ELAINE ROSE	C. A. WRIGHT

* Representing the British Society for Parasitology

VOLUME 78, 1979

CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE · LONDON · NEW YORK

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
Bentley House, 200 Euston Road, London NW1 2DB
32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press, 1979

CONTENTS

(*All rights reserved*)

PART 1 FEBRUARY 1979

PAGE

MORENO, M. SANCHEZ and BARRETT, J. Monoamine oxidase in adult *Hymenolepis diminuta* (Cestoda) 1

HEALY, J. A. Phosphoglucomutase polymorphism in the tick *Ixodes ricinus* 7

SCHILDKNECHT, E. G. and SQUIBB, R. L. The effect of vitamins A, E and K on experimentally induced histomoniasis in turkeys 19

PANITZ, E. Efficacy and cross-resistance studies on *N,N'-bis* (3,4 ditrifluoromethylphenyl) methylmalonamide, a novel anticoccidial agent . 33

LONG, P. L. and MILLARD, B. J. Studies on *Eimeria dispersa* Tyzzer 1929 in turkeys 41

RILEY, J., JAMES, J. L. and BANAJA, A. A. The possible role of the frontal and subparietal gland systems of the pentastomid *Reighardia sternae* (Diesing, 1864) in the evasion of the host immune response . . . 53

LANGHORNE, J. and COHEN, W. *Plasmodium knowlesi* in the marmoset (*Callithrix jacchus*) 67

BOMFORD, R. and MCHARDY, N. *Corynebacterium parvum* as an adjuvant for *Trypanosoma cruzi* epimastigote vaccines: a comparison with saponin and *Bordetella pertussis* 77

KIPNIS, T. L., CALICH, V. L. G. and DIAS DA SILVA, W. Active entry of bloodstream forms of *Trypanosoma cruzi* into macrophages . . . 89

HIGGINS, J. C. The role of the tegument of the metacercarial stage of *Bucephalus haimeanus* (Lacaze-Duthiers, 1854) in the absorption of particulate material and small molecules in solution 99

PART 2 APRIL 1979

LE JAMBRE, L. F., ROYAL, W. M. and MARTIN, P. J. The inheritance of thiabendazole resistance in *Haemonchus contortus* 107

KENNEDY, M. W., WAKELIN, D. and WILSON, MARGARET M. Transplantation of adult *Trichinella spiralis* between hosts: worm survival and immunological characteristics of the host–parasite relationship . . 121

WHARTON, D. A. Oogenesis and egg-shell formation in *Aspiculuris tetraptera* Schulz (Nematoda: Oxyuroidea) 131

WHARTON, D. A. The structure of the egg-shell of *Aspiculuris tetraptera* Schulz (Nematoda: Oxyuroidea) 145

PAGE

HIGBY, G. C., CANNING, ELIZABETH U., PILLEY, BARBARA M. and BUSH, P. J. Propagation of *Nosema eurytremae* (Microsporida: Nosematidae) from trematode larvae, in abnormal hosts and in tissue culture . 155

DOENHOFF, M. and LONG, E. Factors affecting the acquisition of resistance against *Schistosoma mansoni* in the mouse. IV. The inability of T-cell-deprived mice to resist re-infection, and other *in vivo* studies on the mechanisms of resistance 171

BICKLE, Q. D., TAYLOR, M. G., JAMES, E. R., NELSON, G. S., HUSSEIN, M. F., ANDREWS, B. J., DOBINSON, A. R. and MARSHALL, T. F. DE C. Further observations on immunization of sheep against *Schistosoma mansoni* and *S. bovis* using irradiation-attenuated schistosomula of homologous and heterologous species 185

BOXRUCKER, J. C. Effects of a thermal effluent on the incidence and abundance of the gill and intestinal metazoan parasites of the black bullhead 195

SHERLOCK, P. L. *Diplocystis tipulae* sp.nov. (Sporozoa: Eugregarinorida), a parasite of *Tipula paludosa* Meigen (Diptera: Tipulidae) . . . 207

SHIRLEY, M. W. A reappraisal of the taxonomic status of *Eimeria mivati* Edgar and Seibold 1964, by enzyme electrophoresis and cross-immunity tests 221

LONG, P. L. and MILLARD, B. J. Rejection of *Eimeria* by foreign hosts . 239

PART 3 JUNE 1979

DOJIRI, MASAHIRO. Two new species of *Lepeophtheirus* (Copepoda: Caligidae) parasitic on fishes from southern California waters . . . 251

HOWARD, R. J. and BATTYE, F. L. *Plasmodium berghei*-infected red cells sorted according to DNA content 263

DARGIE, J. D., MURRAY, P. K., MURRAY, MAX, GRIMSHAW, W. R. T. and MCINTYRE, W. I. M. Bovine trypanosomiasis: the red cell kinetics of Ndama and Zebu cattle infected with *Trypanosoma congolense* . . 271

WATTS, S. D. M., ORPIN, A. and MACCORMICK, C. Lysosomes and tegument pathology in the chemotherapy of schistosomiasis with 1,7-*bis*(*p*-aminophenoxy)heptane (153C51) 287

WILSON, R. A. and BARNES, P. E. Synthesis of macromolecules by the epithelial surfaces of *Schistosoma mansoni*: an autoradiographic study . 295

SMITH, M. A. and CLEGG, J. A. Different levels of immunity to *Schistosoma mansoni* in the mouse: the role of variant cercariae 311

PAGE

CHRISTIE, P. R., WAKELIN, D. and WILSON, M. M. The effect of the expulsion phase of *Trichinella spiralis* on *Hymenolepis diminuta* infection in rats 323

BORGSTEEDE, F. H. M. and HENDRIKS, J. Experimental infections with *Cooperia oncophora* (Railliet, 1918) in calves. Results of single infections with two graded dose levels of larvae 331

CHEN, S. N. and HOWELLS, R. E. The uptake *in vitro* of dyes, monosaccharides and amino acids by the filarial worm *Brugia pahangi* . . 343

PREMVATI, G. and CHOPRA, ASHOK K. *In vitro* variation of glycogen content in three sheep nematodes 355

ROLLINSON, D., JOYNER, L. P. and NORTON, C. C. *Eimeria maxima*: the use of enzyme markers to detect the genetic transfer of drug resistance between lines 361

Index of Authors

Adsit, Jane C. *See* Georgi, Jay R.

Allen, L. M. *See* Hopkins, C. A.

Allison, A. C. *See* Eugui, Elsie M.

Anderson, R. M. Some population consequences of immunological responses, xxv

Anderson, R. M. and May, R. M. Prevalence of schistosome infections within molluscan populations: observed patterns and theoretical predictions, 63

Anderson, R. M. *See* Keymer, Anne E.

Atkinson, H. J., Taylor, J. D. and Ballantyne, A. J. The hatching process in the potato cyst nematode *Globodera rostochiensis*, xxx

Auffret, C. A. and Turner, M. J. Existence of variant-specific antigen of *T.b. brucei* as a protein dimer *in vitro*, vi

Awan, A. and Hominick, W. M. Tanning in potato cyst nematodes *Globodera rostochiensis* and *Globodera pallida*, xxx

Ball, S. J. *See* Letch, C. A.

Ball, S. J. *See* Pittilo, R. M.

Bannister, L. H. *See* McLaren, Diane J.

Beck, J. T. Population interactions between a parasitic castrator, *Probopyrus pandalicola* (Isopoda:Bopyridae,) and one of its freshwater shrimp hosts, *Palaemonetes paludosus* (Decapoda:Caridea), 431

Behnke, J. M. and Parish, H. A. Expulsion of radiation-attenuated *Nematospiroides dubius* from mice given immune lymphoid cells and serum, xxxvii

Bianco, A. E., Townson, S., El Sinnary, K. and Nelson, G. S. Successful development of *Onchocerca* from cattle in *Aedes*, *Anopheles*, *Culex* and *Culicoides* sp., xxxv

Bickle, Q. D., Dobinson, T. and James, E. R. The effects of gamma-irradiation on migration and survival of *Schistosoma mansoni* schistosomula in mice, 223

Bickle, Q. D., Taylor, M. G., Doenhoff, M. J. and Nelson, G. S. Immunization of mice with gamma-irradiated intramuscularly injected schistosomula of *Schistosoma mansoni*, 209

Boase, C. A village-scale trial of Bendiocarb (OMS 1394) for control of the malaria vector *Anopheles stephensi* in S. Iran 1978, lii

Bohm, Marguerite, F. K. *See* Georgi, Jay R.

Branford White, C. J. Evidence for the occurrence of glycosaminoglycans in *Hymenolepis diminuta*, liii

Brett, S. J. Influence of *Hexamita muris* on the immune response of mice, xlii

Budge, K. M. and Phillips, R. S. The effects of sub-lethal irradiation on the primary immune response of mice to *Plasmodium chabaudi*, xxiii

Bundy, D. A. P. Quantitative aspects of the intra-molluscan development of *Transversotrema patialense*, xxi

Burden, D. J. and Hammet, N. C. The ELISA test for detection of *Fasciola hepatica* infection in cattle, xlvi

Butcher, G. A. *See* McLaren, Diane J.

Canning, Elizabeth, U., Higby, G. C. and Nicholas, J. P. An experimental study of the effects of *Nosema eurytremae* (Microsporida:Nosematidae) on the liver fluke *Fasciola hepatica*, 381

Catchpole, Janet and Norton, C. C. The species of *Eimeria* in rabbits for meat production in Britain, 249

Catchpole, Janet. *See* Norton, C. C.

Chang, K.-P. A glimpse of parasitological research in the people's republic of China, xxvi

Chapman, C. B. *See* Rajasekariah, G. R.

Christie, P. R. Lymphocyte transfer in mice infected with *Hymenolepis diminuta*, xiv

CHRISTIE, P. R. and MOQBEL, R. Experimental studies on irradiation of *Hymenolepis diminuta* cysticercoids, xlix
CLARKE, A. J. and PERRY, R. N. Egg-shell permeability and the hatching of *Ascaris suum*, xlvi
CLARKE, P. L. The pattern of oocyst discharge during *Eimeria tenella* infection, xxxiii
CLARKSON, J. *Schistosoma mansoni*: the effects of drugs on the ultrastructure of the digestive tract, xviii
COLES, A. M., SWOBODA, B. E. P. and RYLEY, J. F. Thymidylate synthetase as a chemotherapeutic target in the treatment of avian coccidiosis, li
COOP, R. L. The effect of different rates of *Ostertagia* intake on the performance and skeletal growth of lambs, xliv
CROFT, S. L. and BRAZIL, R. P. Some effects of pentamidine isethionate on *Leishmania* species *in vitro*, xlv
CROMPTON, D. W. T., PARSHAD, V. R. and NESHEIM, M. C. The growth of *Moniliformis* (Acanthocephala) in rats fed on diets containing various sugars, vii
CURRAN, J. and HOMINICK, W. M. The effects of different heat-killing procedures on the morphology and morphometrics of *Gastromermis* sp. and *Romanomermis culicivorax* (Nematoda: Mermithidae), xxix

DAVEY, J. T. Environmental correlates of variations in digenean infections of *Littorina neritoides* (Gastropoda) from Plymouth breakwater, xxxv
DAVIES, C. and GOOSE, J. Preliminary investigations into the killing of newly excysted juveniles of *Fasciola hepatica* in immune rats, xlviii
DAVIS, R. S. *See* GROVE, D. I.
DEAN, G. S. The effect of immunosuppressive treatment on lymphatic pathology in cats infected with *Brugia pahangi*, xliii
DOBINSON, T. *See* BICKLE, Q. D.
DOBSON, A. P. Patterns in the distribution of parasites, xxii
DOENHOFF, M. J. *See* BICKLE, Q. D.
DOY, T. G., HUGHES, D. L. and HARNESS, E. *In vitro* adherence of rat peritoneal derived leucocytes on artificially excysted *Fasciola hepatica*, xxxii
D'SILVA, J. and LEWIS, J. W. The transmission of the rat pinworm. *Syphacia muris*, xxi

EDEGHERE, H. U. F. I. Vascular changes in experimental African trypanosomiasis, ix
EDUARDO, L. The tegumental surfaces of some species of the genus *Paramphistomum fischoeder*, 1901, as revealed by scanning electron microscopy, iii
EL-ADHAMI, B., KUSEL, J. R. and STONES, L. S. Recognition of *Schistosoma mansoni* antigens by antibodies in murine schistosomiasis, l
EUGUI, ELSIE M. and ALLISON, A. C. Separation of erythrocytes infected with murine malaria parasites in metrizamide gradients, 267
EVANS, N. A. Cyst structure and excystment of *Asymphylodora dollfusi* metacercariae, iii

FAHNESTOCK, GLENN, R. *See* GEORGI, JAY R.
FAIRWEATHER, I. *Hymenolepis nana*: the fine structure of the oncosphere, xvi
FAYER, R. and LYNCH, G. P. Pathophysiological changes in urine and blood from calves experimentally infected with *Sarcocystis cruzi*, 325
FENWICK, P. The relationships between *Hymenolepis diminuta* and the rat: observations on the growth and survival of primary and secondary infections, xlix
FISTEIN, B. and SMITH, W. J. Immunity reactions of blood after ingestion by the bug *Rhodnius neglectus*, xv
FRANKS, DAVID. *See* THORNE, KAREEN J. I.

GEERAERTS, J., HINNEKINT, R., VAN DAELE, E. and DE BUSSCHERE L. The prevalence of diptera in pighouses, liii
GEORGI, JAY R., FAHNESTOCK, GLENN R., BOHM, MARGUERITE F. K. and ADSIT, JANE C. The migration and development of *Filaroides hirthi* larvae in dogs, 39
GIBBONS, L. M. A comparison of the genera *Nematodirus* Ransom, 1907 and *Nematodirella* Yorke and Maplestone, 1926, liii

GIBSON, D. I. Materials and methods in helminth alpha-taxonomy, xxxvi
GILBERT, R. J., CURTIS, R. J. and NEWTON, B. A. The pharmacokinetics of [^{14}C]ethidium bromide in uninfected and *Trypanosoma congolense* infected calves, ii
GLAUERT, AUDREY M. *See* THORNE, KAREEN J. I.
GOLL, P. H. *See* WRIGHT, C. A.
GOOSE, J. Mast cell changes in rats infected with *Fasciola hepatica*, xxxii
GRAY, A. R. *See* LUCKINS, A. G.
GRAY, G. D. Observations on the peak parasitaemia of *Babesia microti* infections in mice and the associated immunosuppression, xxxvii
GROVE, D. I., DAVIS, R. S. and WARREN, K. S. *Brugia malayi* microfilaraemia in mice: a model for the study of the host response to microfilariae, 303
GRUNDY, M. S. and BROWN, K. N. The quaternary structure of purified variant-specific surface antigens (VSSA) from *Trypanosoma brucei* clones, v
GUTTERIDGE, W. E. and GABORAK, M. Re-examination of purine and pyrimidine metabolism in *Trypanosoma cruzi*, xliii

HAGAN, P., MOQBEL, R. and WAKELIN, D. *Nematospiroides dubius*: host immunoglobulin in cuticular precipitates, xxxvii
HALTON, D. W. The morphology and development of a gasterostome trematode, *Bucephaloides gracilescens*, v
HALTON, D. W. and MCKERR, G. SEM observations on the spiral valve of rays and their cestode parasites, xlvii
HANNA, R. E. B. Surface antigenicity of *Fasciola hepatica* during development, xxxi
HEATH, D. D., YONG, W. K., OSBORN, P. J., PARMENTER, S. N., LAWRENCE, S. B. and TWAALFHOVEN, H. The duration of passive protection against *Taenia ovis* larvae in lambs, 177
HEYWORTH, P. G., GUTTERIDGE, W. E. and GINGER, C. D. Pyrimidine biosynthesis in *Trichomonas vaginalis*, xli
HIGBY, G. C. *See* CANNING, ELIZABETH U.
HILL, B., MCINTOSH, R., GINGER, C. D., KILSBY, J. and ROGERSON, G. W. The enzymes of pyrimidine biosynthesis in a range of parasitic helminths and protozoa, xli
HONG, C. *See* MICHEL, J. F.
HOPKINS, C. A. How does a tapeworm know where it is?, xxv
HOPKINS, C. A. and ALLEN, L. M. *Hymenolepis diminuta*: the role of the tail in determining the position of the worm in the intestine of the rat, 401
HUDSON, L. E. and SNARY, D. *T. cruzi*: culture in murine muscle-derived cell lines, xvi
HUGHES, D. L., HARNESS, E. and DOY, T. G. Preliminary observations on *Fasciola hepatica* in normal and sensitized nude rats, xxxi
HUGHES, H. P. A. and DIXON, B. The effect of gamma radiation on *Plasmodium gallinaceum* erythrocytic parasites, xxiv

IRELAND, C. M., GULL, K., GUTTERIDGE, W. E. and POGSON, C. I. The inhibition of mammalian brain microtubule assembly *in vitro* by benzimidazole carbamates, xix

JAMES, E. R. *See* BICKLE, Q. D.
JAMES, S. Isolation and properties of second-generation schizonts in avian coccidia, xxxiii
JARROLL, E. L. Population biology of *Bothriocephalus rarus* Thomas (1937) in the red-spotted newt, *Notophthalmus viridescens* Raf, 183
JEFFERS, M. P. The effect of cycloheximide upon the reproductive system of *Microphallus similis*, iv
JENNINGS, F. W., URQUHART, G. M., MURRAY, P. K. and MILLAR, B. M. Relapsing *Trypanosoma brucei* infections in mice. The use of nitroimidazole compounds in conjunction with established trypanocidal drugs, i
JONES, A. Helminth parasites of the lesser flamingo (*Phoeniconaias minor*) from Kenya, xvii
JONES, J., TETLEY, L. and KUSEL, J. R. Adhesion of mouse peritoneal cells to schistosomula and adult *Schistosoma mansoni* after treatment of the parasite with hydrophobic compounds, l
JOYNER, L. P. *See* NORTON, C. C.

JUDGE, B. M. and HOWELLS, R. E. The use of drug polymer mixture implants for sustained antimalarial effects in mice, ii
JUNGERY, M., MACKENZIE, C. D. and OGILVIE, B. M. *Trichinella spiralis* in beige mice, xxxviii

KEARN, G. C. Light-orientated behaviour of the oncomiracidium of the monogenean skin parasite *Entobdella soleae* and its role in finding the host, xxvi
KELLNER, N. and JACOBS, F. Individual artificial infection of *Apis mellifera* L. with *Nosema apis* Zander, liv
KENNEDY, M. W. The effects of the host immune response on *Trichinella spiralis* in mice, xiv
KERSHAW, W. E. and LONGSON, M. The diagnosis of malaria in strict isolation for Lassa fever suspects, xiv
KEYMER, A. Population studies of the transmission of the rat tapeworm, *Hymenolepis diminuta*, xx
KEYMER, ANNE E. and ANDERSON, R. M. The dynamics of infection of *Tribolium confusum* by *Hymenolepis diminuta*: the influence of infective-stage density and spatial distribution, 195
KHALIL, L. F., COTCHIN, E., INGRAM, P. L. and STEVENSON, P. *Halicephalobus deletrix* (= *Micronema deletrix*) reported from a horse in Britain for the first time, xxxvi
KLEIN, R. Carnitine uptake by *Trypanosoma brucei*, xlv
KLEIN, R. A., WHITWORTH, A. G., ANGUS, J. M. and AMADIFE, A. E. Further studies on the specificity of the threonine dehydrogenase from *Trypanosoma brucei brucei* and the search for effective inhibitors, vi
KUSEL, J. and STONES, L. Hydrophobic interactions in the surface membrane of *Schistosoma mansoni*, xxii

LACKIE, ANN M. and LACKIE, J. M. Evasion of the insect immune response by *Moniliformis dubius* (Acanthocephala): further observations on the origin of the envelope, 297
LACKIE, J. M. *See* LACKIE, ANN M.
LAINSON, F. A. Enzyme variation in rodent malaria parasites isolated in Africa: Cameroun, xxviii
LANCASTER, M. B. *See* MICHEL, J. F.
LATTER, V. S. and HILL, B. Thymidylate synthase activity in *Eimeria tenella* (coccidia), xxxiv
LATTER, VICTORIA S. and WILSON, R. G. Factors influencing the assessment of anticoccidial activity in cell culture, 169
LAWRENCE, S. B. *See* HEATH, D. D.
LETCH, C. A. Host restriction, morphology and isoenzymes among trypanosomes of some British freshwater fishes, 107
LETCH, C. A. and BALL, S. J. Prevalence of *Trypanosoma cobitis* Mitrophanow, 1883 in fishes from the River Lee, 119
LEWIS, D., PURNELL, R. E., YOUNG, E. R. and OSBORN, G. D. Studies on the infection of the mongolian gerbil with piroplasms of British cattle, xxviii
LINSTEAD, D. Evolution of a serum-free medium for the cultivation of the protozoan *Trichomonas vaginalis*, xlii
LJUNGSTRÖM, I. Transient polyclonal activation induced by *T. spiralis* infection, xxxvii
LLOYD, G. PEP metabolism in the liver fluke, *Fasciola hepatica*, xlv
LONG, P. L. and MILLARD, B. J. Immunological differences in *Eimeria maxima*: effect of a mixed immunizing inoculum on heterologous challenge, 451
LUCKINS, A. G. and GRAY, A. R. Observations on the antigenicity and serological relationships of stocks of *Trypanosoma congolense* from East and West Africa, 337
LUPTON, E. N. and TURNER, M. J. Patterns of antigenic variation of *Trypanosoma brucei in vivo* and *in vitro*, li
LYNCH, G. P. *See* FAYER, R.

MACASKILL, J. A., HOLMES, P. H., WHITELAW, D. D., JENNINGS, F. W. and URQUHART, G. M. The use of ^{75}Se-labelled *Trypanosoma brucei* in evaluating clearance mechanisms in immune mice, xi

MAKI, JUN and YANAGISAWA, TOSHIO. Acid phosphatase activity demonstrated by intact *Angiostrongylus cantonensis* with special reference to its function, 417

MANGER, R. The effect of route of administration on the activity of some anthelmintics in mice, xix

MARKUS, M. B. Aspects of the host specificity of *Eimeria*, xxxiii

MARKUS, M. B. and MUNDY, P. J. Intestinal *Sarcocystis* infection in vultures and its significance, xxxix

MARTIN, J. Acetylcholinesterase production by *N. brasiliensis* during the course of an infection in normal and protein-deficient rats, viii

MATTHEWS, R. A. and MATTHEWS, B. F. Microsporidiosis in *Scophthalmus maximus* L., xxxix

MAY, R. M. *See* ANDERSON, R. M.

MCCOLM, A. A., SHAKESPEARE, P. G. and TRIGG, P. I. Release of antigenic material from *Plasmodium knowlesi* during cultivation *in vitro*

MCCONNELL, J., CORDINGLEY, J. S. and TURNER, M. J. The extent of variability of variant-specific antigens from *T.b. brucei*, vi

MCKERR, G. Observations on the reproductive development of *Grillotia erinaceus* (Cestoda: Trypanorhyncha), xvi

MCLEAN, S. A. and PHILLIPS, R. S. Investigation of relapse parasitaemias in *Plasmodium chabaudi*-infected mice, xxiv

MACKINNON, M. *Notocotylus triserialis*: the structure and possible function of the ventral papillae, iv

MCLAREN, DIANE J., BANNISTER, L. H., TRIGG, P. I. and BUTCHER, G. A. Freeze fracture studies on the interaction between the malaria parasite and the host erythrocyte in *Plasmodium knowlesi* infections, 125

MCMANUS, D. P. and STERRY, P. R. Isoenzyme studies on *Ligula intestinalis* (Cestoda: Pseudophyllidea), xliv

MCREATH, M. Ultrastructural aspects of the encapsulation of *Fasciola hepatica* sporocysts in the snail *Lymnaea palustris*, xvii

MICHEL, J. F., LANCASTER, M. B. and HONG, C. The effect of age, acquired resistance, pregnancy and lactation on some reactions of cattle to infection with *Ostertagia ostertagi*, 157

MILLARD, B. J. *See* LONG, P. L.

MILLER, G. G. and KLEIN, R. A. The effect of oligomycin on glycolysis and calcium transport in normal and naturally dyskinetoplastic trypanosomes, x

MITCHELL, G. F. *See* RAJASEKARIAH, G. R.

MONTAGUE, P. E. *See* RAJASEKARIAH, G. R.

MORRISON, W. I. *See* MURRAY, MAX

MURRAY, MAX and MORRISON, W. I. Non-specific induction of increased resistance in mice to *Trypanosoma congolense* and *Trypanosoma brucei* by immunostimulants, 349

NELSON, G. S. *See* BICKLE, Q. D.

NEWTON, B. A. and GILBERT, R. J. Preliminary studies on the pharmacokinetics of [^{14}C]-ethidium bromide in rabbits, i

NICHOLAS, J. P. *See* CANNING, ELIZABETH U.

NORTON, C. C., CATCHPOLE, JANET and JOYNER, L. P. Redescriptions of *Eimeria irresidua* Kessel & Jankiewicz, 1931 and *E. flavescens* Marotel & Guilhon, 1941 from the domestic rabbit, 231

NORTON, C. C. *See* CATCHPOLE, JANET

OSBORN, P. J. *See* HEATH, D. D.

PADUA, R. A. Genetics of chloroquine resistance in rodent malaria, iii

PARISH, H. A., HAGAN, P. and BEHNKE, J. M. The effect of ^{60}cobalt irradiation on *Nematospiroides dubius*, xxix

PARMENTER, S. N. *See* HEATH, D. D.

PARRY, M. G. and BOREHAM, P. F. L. Circulating immune complexes and kallikrein levels in experimental *Trypanosoma brucei* infections in rabbits, x

PATERSON, H. *In vitro* culture of *Moniezia expansa*: excystment of the cysticercoid, lii

PAUL, J. M. and BARRETT, J. Peroxide metabolism in parasitic helminths, xii
PILLAI, N. KRISHNA. *See* PRABHA, C.
PITTILO, R. M. and BALL, S. J. The fine structure of the developing macrogamete and oocyst wall formation in *Eimeria maxima*, xxxiv
PITTILO, R. M. and BALL, S. J. The fine structure of the developing macrogamete of *Eimeria maxima*, 259
PONNUDURAI, T., MEUWISSEN, J. H. E. TH. and LEEUWENBERG, A. D. E. M. *In vitro* cultivation of *Plasmodium falciparum* isolates from imported cases of malaria into Holland, xxvii
POPIEL, I. and ERASMUS, D. A. *Schistosoma mansoni*: differential inhibition of vitelline gland morphogenesis induced by selected chemotherapeutic agents, xxiii
PRABHA, C. and PILLAI, N. KRISHNA. *Pseudechetus fimbriatus* gen. et sp. nov., a caligid copepod from Kerala coastal waters, 425
PRICHARD, R. K. and HENNESSY, D. R. Effects of the oesophageal groove reflex on oxfendazole pharmacokinetics and efficacy against benzimidazole resistant nematodes, xii

RADLETT, A. J. Excystation of *Notocotylus attenuatus* (Rudolphi, 1809) Kossack, 1911 (Trematoda: Notocotylidae) and their localization in the caecum of the domestic fowl, 411
RAJASEKARIAH, G. R., MITCHELL, G. F., CHAMPMAN, C. B. and MONTAGUE, P. E. *Fasciola hepatica*: attepts to induce protection against infection in rats and mice by injection of excretory/secretory products of immature worms, 393
RANDOLPH, SARAH E. Population regulation in ticks: the role of acquired resistance in natural and unnatural hosts, 141
REES, L. J., HEYWORTH, P. G. and GUTTERIDGE, W. E. Intracellular localization of glycolytic enzymes in *Tritrichomonas foetus*, xlii
RIBEIRO-DOS-SANTOS and HUDSON, L. E. A possible immunological mechanism for neuronal destruction in acute-phase Chagas' disease, xv
RILEY, J. Contrasting reproductive strategies in the Pentastomida, xx
ROGERSON, G. W. Oxidative metabolism in *Nippostrongylus brasiliensis*, xii
ROLLINSON, D. *See* WRIGHT, C. A.
DE RYCKE, P. H. and PENNOIT-DE COOMAN, E. *Echinococcus granulosus*: passages with sterile cysts, lv

SELLS, P. G. and BURTON, M. Specific antibody levels in cutaneous Leismaniasis patients, as measured by ELISA
SHARPE, M. J. and ATKINSON, H. J. Dopaminergic neurons in nematodes, xlviii
SHIRAZI, M. F. and TERRY, R. J. The effect of T-cell deprivation and complement depletion on *Trytripanosoma brucei* infections in mice, x
SIMPKIN, K. G. and COLES, G. C. A new *in vitro* test for anthelmintics, xix
SINDEN, R. E. and SMALLEY, M. E. Gametocytogenesis of *Plasmodium falciparum in vitro*: the cell-cycle, 277
SMALLEY, M. E. *See* SINDEN, R. E.
SMITH, H. V., DOLAN, J. and KUSEL, J. R. The acquisition of epidermal antigens from mouse and human skin by schistosomula of *Schistosoma mansoni*, xxii
STERRY, P. R. The intermediary metabolism of *Ligula intestinalis* (Cestoda: Pseudophyllidea), xiii
STOREY, R. M. J. Lipid depletion and the infectivity of the potato cyst nematodes, *Globodera rostochiensis* and *G. pallida*, xxix
SVVENNSEN, ROSAMUND J. *See* THORNE, KAREEN J. I.

TAYLOR, M., MACKENZIE, C. D. and OGILVIE, B. M. *In vitro* cell mediated death of nematode infective larvae, xxxviii
TAYLOR, M. G. *See* BICKLE, Q. D.
TELFORD, S. R. JR. Evolutionary implications of *Leishmania* amastigotes in circulating blood cells of lizards, 317
THORNE, KAREEN, J. I., GLAUERT, AUDREY M., SVVENNSEN, ROSAMUND J. and FRANKS, DAVID. Phagocytosis and killing of *Trypanosoma dionisii* by human neutrophils, eosinophils and monocytes, 367

TITCHENER, R. N. Infestation of broiler breeder houses with hen fleas, xiii
TOMLINSON, C. N. Some aspects of the life-cycle of *Myxidium incurvatum* Thélohan (Myxozoa, Myxosporidia), xl
TRETT, M. W. and LEE, D. L. Investigation of certain dehydrogenase enzymes of *Ascaris suum*, ix
TRIGG, P. I. *See* MCLAREN, DIANE J.
TWAALFHOVEN, H. *See* HEATH, D. D.

VAN DER VORST, E. *Nosema apis*-like particles in pollen, liv
VAN KNAPEN, F. and PANGGABEAN, S. O. The demonstration of circulating antigens and complexes in experimental toxoplasmosis in mice, xl

WALSH, J. A., LEE, D. L. and SHEPHERD, A. M. Intracellular micro-organisms parasitizing cyst nematodes and their pathogenic effect on the potato cyst nematode *Globodera rostochiensis*, xlvii
WARD, P. F. V. Carbon dioxide metabolism of adult *Haemonchus contortus in vitro*, viii
WARREN, K. S. *See* GROVE, D. I.
WHARTON, D. A. The structure and formation of the egg-shell of *Hammerschmidtiella diesingi* Hammerschmidt (Nematoda: Oxyuroidea), 1
WHARTON, D. A. The structure and formation of the egg-shell of *Syphacia obvelata* Rudolphi (Nematoda: Oxyurida), 13
WHARTON, D. A. and BARRETT, J. Preliminary investigations on the tanning systems of nematode egg-shells, ix
WHEATER, P. R. and WILSON, R. A. *Schistosoma mansoni*: a histological study of migration in the laboratory mouse, 49
WHITELAW, D. D., GRAY, G. D., JENNINGS, F. W., HOLMES, P. H. and URQUHART, G. M. Relapsing *Trypanosoma brucei* infections in mice. The CNS as a source of relapsing infection, vii
WILFRED, M. and LEE, D. L. Observations on the alimentary tract of *Bunostomum trigonocephalum*, xvii
WILSON, P. A. G. Tracking radioactive larvae of *Strongyloides ratti* in the host, 29
WILSON, R. A. *See* WHEATER, P. R.
WILSON, R. G. *See* LATTER, VICTORIA S.
WRIGHT, C. A., ROLLINSON, D. and GOLL, P. H. Parasites in *Bulinus senegalensis* (Mollusca: Planorbidae) and their detection, 95

YANAGISAWA, TOSHIO. *See* MAKI, JUN.
YONG, W. K. *See* HEATH, D. D.

Index of Subjects

Acid phosphatase, function of in *Angiostrongylus cantonensis*, 417
Aquired resistance, effect of on reactions of cattle to infection with *Ostertagia ostertagi*, 157
  role of in population regulation in ticks, 141
Age, effect of on reactions of cattle to infection with *Ostertagia ostertagi*, 157
Angiostrongylus cantonensis, function of acid phosphatase activity in, 417
Anticoccidial activity, factors influencing assessment of in cell culture, 169
Antigenic relationships, a study of among different stocks of *Trypanosoma congolense*, 337

Body wall, localization of acid phosphatase activity in, in *Angiostrongylus cantonensis*, 417
Bothriocephalus rarus, population biology of, 183
Bovine blood, pathophysiological effects of *Sarcocystis cruzi* infections on, 325
Bovine urine, pathophysiological effects of *Sarcocystis cruzi* infections on, 325
Brugia malayi, a study of the host response to in mice, 303
  circulation of the microfilariae of in mice, 303
Bulinus senegalensis, detection of parasites in by enzyme analysis, 95

Caligid copepod, a description of a new species of, *Pseudechetus fimbriatus*, 425
Cell culture, assessment of anticoccidials in, 169
Cell-mediated cytotoxicity, of *Trypanosoma dionisii*, 367
Coccidia, redescriptions of *Eimeria irresidua* and *E. flavescens*, 231
  species of infecting rabbits for meat production in Britain, 249
Copepod life-cycle, adaptation of *Bothriocephalus rarus* to, 183

Egg-shell, histochemistry of in *Hammerschmidtiella diesingi*, 1
  histochemistry of in *Syphacia obvelata*, 13
  structure and formation of in *Hammerschmidtiella diesingi*, 1
  structure and formation of in *Syphacia obvelata*, 13
Eimeria flavescens, redescription of, 231
Eimeria irresidua, redescription of, 231
Eimeria maxima, fine structure of the developing macrogamete of, 259
  immunological differences between laboratory strains of, 451
Eimeria spp., infections of in rabbits for meat production in Britain, 249
Encapsulation, evasion of by the larvae of *Moniliformis dubius*, 297
Enzyme variation, detection of in snail populations and their parasites, 95
Erythrocyte membrane, interaction of *Plasmodium knowlesi* with, 125
Erythrocytes, separation of after infection with murine plasmodia, 267
Excretory/secretory products, injection of to induce immunity to *Fasciola hepatica* in rats and mice, 393

Fasciola hepatica, effects of *Nosema euryremae* on, 381*t*
  induction of resistance to in rats and mice, 393
Filaroides hirthi, development of larvae of, 39
  migration of larvae of, 39
Freeze fracture technique, use of to study the interaction between the malaria parasite and the host erythrocyte, 125
Freshwater fishes, classification of trypanosomes from, 107

Gametocytocides, development of, based on cell-cycle studies of *Plasmodium falciparum*, 277
Gametocytogenesis, of *Plasmodium falciparum in vitro*, 277
Gamma-irradiation, attenuation of schistosomula with, for immunization purposes, 209, 223
  effects of on migration and survival of schistosomula in mice, 223

Hammerschmidtiella diesingi, structure and formation of egg-shell in, 1
Hymenolepis diminuta, role of the tail of in determining its position in the rat intestine, 401
transmission dynamics of, 195

Immune recognition, evasion of by the larvae of *Moniliformis dubius*, 297
Immunity, induction of by excretory/secretory products of immature *Fasciola hepatica*, 393
Immunization, method for, using gamma-irradiated schistosomula, 209
of chickens using a hybrid mixture of *Eimeria maxima*, 451
of ewes against *Taenia ovis* larvae, 177
Immunostimulants, effects of on resistance of mice to trypanosomiasis, 349
Infective-stage density, influence of on transmission dynamics of *Hymenolepis diminuta*, 195
In vitro screening, importance of in assessing anticoccidial activity, 169
Isoelectric focusing, use of to differentiate host and parasite enzymes, 95
Isoenzymes, comparison of from trypanosomes in various freshwater fishes, 107
Ixodes trianguliceps, population regulation of, 141

Lactation, effect of on reactions of cattle to infection with *Ostertagia ostertagi*, 157
Leishmania amastigotes, evolutionary implications of in circulating blood cells, 317
Leishmania spp., adaptation of to the vertebrate host, 317
circulation of amastigotes of in lizards, 317
Leucocytes, cell-mediated resistance of to *Trypanosoma dionisii*, 367

Macrogamete, ultrastructural studies of the development of, 259
Malaria-infected erythrocytes, separation of in metrizamide gradients, 267
Malaria parasites, freeze fracture studies on, 125
Metacercariae, of *Notocotylus attenuatus*, excystation of in the host caecum, 411
Metrizamide, use of to separate murine malaria-infected erythrocytes, 267
Microfilariae, a study of the host response to in mice, 303
Microsporidia, pathogenic effects of on *Nosema eurytremae*, 381
Migration, histological study of using schistosomula of *Schistosoma mansoni*, 49
of the larvae of *Filaroides hirthi*, 39
tracking of, using radioactive larvae of *Strongyloides ratti*, 29
Molluscs, prevalence of schistosome infections in, 63
Moniliformis dubius, evasion of the insect immune response by, 297
the origin of the envelope around the larvae of, 297
Morphology, of the reproductive system of *Hammerschmidtiella diesingi*, 1
of the reproductive system of *Syphacia obvelata*, 13
Murine plasmodia, separation of erythrocytes infected with, 267

New genus, *Pseudechetus fimbriatus*, 425
New species, *Pseudechetus fimbriatus*, 425
Nosema eurytremae, effects of on *Fasciola hepatica*, 381
pathogenic effects of microsporidia of, 381
Notocotylus attenuatus, excystation of the metacercariae of, 411
localization of in the host caecum, 411
Notophthalmus viridescens, population biology of tapeworms in, 183

Ostertagia ostertagi, reaction of cattle to infection with, 157
Palaemonetes paludosus, as host to the parasitic castrator, *Probopyrus pandalicola*, 431
Parasite enzymes, differentiation of by isoelectric focusing, 95
Parasitic castration, effects of on the ecology of host populations, 432
Passive protection, duration of, against *Taenia ovis* in lambs, 177
Phagocytosis, of *Trypanosoma dionisii* by human neutrophils, eosinophils and monocytes, 367
Plasmodium falciparum, gametocytogenesis of *in vitro*, 277
the cell-cycle of *in vitro*, 277
Plasmodium knowlesi, interaction of with the host erythrocyte, 125
Population biology, a study of in schistosomiasis, 63
a study of with *Bothriocephalus rarus*, a parasite of the red-spotted newt, 183

Population interactions, a study of between a parasitic castrator and its freshwater shrimp host, 431
Population regulation, a study of in ticks, 141
Pregnancy, effect of on reactions of cattle to infection with *Ostertagia ostertagi*, 157
Probopyrus pandalicola, a parasitic castrator in the freshwater shrimp, 431
Pseudechetus fimbriatus gen. et sp. nov., a description of, 425

Sarcocystis cruzi, pathophysiological changes in bovine blood and urine during infection with, 325
Schistosoma mansoni, effects of gamma-irradiation on the schistosomula of, 223
immunization of mice against, using gamma-irradiated schistosomula, 209
migration of in the mouse, 49
Schistosomiasis, a study of population biology in, 63
Schistosomula, gamma-irradiation of for use in immunization, 209
migration route of in the mouse, 49
Skin-penetrating larvae, determination of migratory route of, 29
Strongyloides ratti, tracking radioactive larvae of, in the host, 29
Syphacia obvelata, structure and formation of egg-shell in, 13

Taenia ovis, duration of passive protection against, 177
Tapeworms, immunization of ewes against, 177
population biology of *Bothriocephalus rarus* in the newt, 183
Transmission dynamics, observed and predicted patterns of in schistosmiasis, 63
the influence of infective-stage density and spatial distribution on, 195
Tribolium confusum, dynamics of infection of, by *Hymenolepis diminuta*, 195
Trypanosoma brucei, effect of immunostimulants on the survival time of in mice, 349
Trypanosoma cobitis, isolation of from various freshwater fishes, 107, 119
Trypanosoma congolense, antigenicity of different stocks of from East and West Africa, 337
effect of immunostimulants on the survival time of in mice, 349
evidence of strain differences among various stocks of, 337
Trypanosoma dionisii, phagocytosis and killing of by human leucocytes, 367
Trypanosome infections, seasonal variation of in freshwater fishes, 119
Trypanosomes, classification of in some freshwater fishes, 107
prevalence of infection by in freshwater fishes, 119
Trypanosomiasis, effect of immunostimulants on resistance of mice to, 349

Ultrastructure, of the developing macrogamete of *Eimeria maxima*, 259

Worm location, role of the tail in, in *Hymenolepis diminuta*, 401

PARASITOLOGY

PARASITOLOGY

(Founded by G. H. F. Nuttall, F.R.S.)

EDITORS

D. W. T. CROMPTON *and* B. A. NEWTON

EDITORIAL ASSISTANT

M. ELISABETH PAINTER, Ph.D.

ADVISORY BOARD

GWENDOLEN REES, F.R.S. (*Chairman*)

R. ANDERSON	D. I. GIBSON	J. H. ROSE
D. R. ARTHUR	L. G. GOODWIN, F.R.S.	J. F. RYLEY
J. R. BAKER	L. P. JOYNER	G. SALT, F.R.S.
J. BARRETT	C. R. KENNEDY	S. R. SMITHERS
ELIZABETH U. CANNING	ANN M. LACKIE	K. VICKERMAN
L. H. CHAPPELL	D. L. LEE*	D. WAKELIN
S. COHEN, F.R.S.	R. J. LINCOLN	P. F. V. WARD
R. R. A. COOMBS, F.R.S.	J. LLEWELLYN	P. J. WHITFIELD
F. E. G. COX	S. H. P. MADDRELL	H. H. WILLIAMS
G. A. M. CROSS	BRIDGET M. OGILVIE	R. A. WILSON
D. A. ERASMUS	M. ELAINE ROSE	C. A. WRIGHT

* Representing the British Society for Parasitology

VOLUME 79, 1979

CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE

LONDON NEW YORK NEW ROCHELLE

MELBOURNE SYDNEY

PUBLISHED BY
THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press, 1979

CONTENTS

Part 1 August 1979

PAGE

Wharton, D. A. The structure and formation of the egg-shell of *Hammerschmidtiella diesingi* Hammerschmidt (Nematoda: Oxyuroidea) . . 1

Wharton, D. A. The structure and formation of the egg-shell of *Syphacia obvelata* Rudolphi (Nematoda: Oxyurida) 13

Wilson, P. A. G. Tracking radioactive larvae of *Strongyloides ratti* in the host 29

Georgi, Jay R., Fahnestock, Glenn R., Bohm, Marguerite F. K. and Adsit, Jane C. The migration and development of *Filaroides hirthi* larvae in dogs 39

Wheater, P. R. and Wilson, R. A. *Schistosoma mansoni*: a histological study of migration in the laboratory mouse 49

Anderson, R. M. and May, R. M. Prevalence of schistosome infections within molluscan populations: observed patterns and theoretical predictions 63

Wright, C. A., Rollinson, D. and Goll, P. H. Parasites in *Bulinus senegalensis* (Mollusca: Planorbidae) and their detection . . . 95

Letch, C. A. Host restriction, morphology and isoenzymes among trypanosomes of some British freshwater fishes 107

Letch, C. A. and Ball, S. J. Prevalence of *Trypanosoma cobitis* Mitrophanow, 1883 in fishes from the River Lee 119

McLaren, Diane J., Bannister, L. H., Trigg, P. I. and Butcher, G. A. Freeze fracture studies on the interaction between the malaria parasite and the host erythrocyte in *Plasmodium knowlesi* infections . . 125

Randolph, Sarah E. Population regulation in ticks: the role of acquired resistance in natural and unnatural hosts 141

Michel, J. F., Lancaster, M. B. and Hong, C. The effect of age, acquired resistance, pregnancy and lactation on some reactions of cattle to infection with *Ostertagia ostertagi* 157

Latter, Victoria S. and Wilson, R. G. Factors influencing the assessment of anticoccidial activity in cell culture 169

Part 2 October 1979

Heath, D. D., Yong, W. K., Osborn, P. J., Parmeter, S. N., Lawrence, S. B. and Twaalfhoven, H. The duration of passive protection against *Taenia ovis* larvae in lambs 177

Jarroll, E. L. Jr. Population biology of *Bothriocephalus rarus* Thomas (1937) in the red-spotted newt, *Notophthalmus viridescens* Raf . . 183

PAGE

KEYMER, ANNE E. and ANDERSON, R. M. The dynamics of infection of *Tribolium confusum* by *Hymenolepis diminuta*: the influence of infective-stage density and spatial distribution 195

BICKLE, Q. D., TAYLOR, M. G., DOENHOFF, M. J. and NELSON, G. S. Immunization of mice with gamma-irradiated intramuscularly injected schistosomula of *Schistosoma mansoni* 209

BICKLE, Q. D., DOBINSON, T. and JAMES, E. R. The effects of gamma-irradiation on migration and survival of *Schistosoma mansoni* schistosomula in mice 223

NORTON, C. C., CATCHPOLE, JANET and JOYNER, L. P. Redescriptions of *Eimeria irresidua* Kessel & Jankiewicz, 1931 and *E. flavescens* Marotel & Guilhon, 1941 from the domestic rabbit 231

CATCHPOLE, JANET and NORTON, C. C. The species of *Eimeria* in rabbits for meat production in Britain 249

PITTILO, R. M. and BALL, S. J. The fine structure of the developing macrogamete of *Eimeria maxima* 259

EUGUI, ELSIE M. and ALLISON, A. C. Separation of erythrocytes infected with murine malaria parasites in metrizamide gradients 267

SINDEN, R. E. and SMALLEY, M. E. Gametocytogenesis of *Plasmodium falciparum in vitro*: the cell cycle 277

LACKIE, ANN M. and LACKIE, J. M. Evasion of the insect immune response by *Moniliformis dubius* (Acanthocephala): further observations on the origin of the envelope 297

PART 3 DECEMBER 1979

GROVE, D. I., DAVIS, R. S. and WARREN, K. S. *Brugia malayi* microfilaraemia in mice: a model for the study of the host response to microfilariae 303

TELFORD, S. R. JR. Evolutionary implications of *Leishmania* amastigotes in circulating blood cells of lizards 317

FAYER, R. and LYNCH, G. P. Pathophysiological changes in urine and blood from calves experimentally infected with *Sarcocystis cruzi* . 325

LUCKINS, A. G. and GRAY, A. R. Observations on the antigenicity and serological relationships of stocks of *Trypanosoma congolense* from East and West Africa 337

MURRAY, MAX and MORRISON, W. I. Non-specific induction of increased resistance in mice to *Trypanosoma congolense* and *Trypanosoma brucei* by immunostimulants 349

THORNE, KAREEN J. I., GLAUERT, AUDREY M., SVVENNSEN, ROSAMUND J. and FRANKS, DAVID. Phagocytosis and killing of *Trypanosoma dionisii* by human neutrophils, eosinophils and monocytes 367

PAGE

CANNING, ELIZABETH U., HIGBY, G. C. and NICHOLAS, J. P. An experimental study of the effects of *Nosema eurytremae* (Microsporida: Nosematidae) on the liver fluke *Fasciola hepatica* 381

RAJASEKARIAH, G. R., MITCHELL, G. F., CHAPMAN, C. B. and MONTAGUE, P. E. *Fasciola hepatica*: attempts to induce protection against infection in rats and mice by injection of excretory/secretory products of immature worms 393

HOPKINS, C. A. and ALLEN, L. M. *Hymenolepis diminuta*: the role of the tail in determining the position of the worm in the intestine of the rat 401

RADLETT, A. J. Excystation of *Notocotylus attenuatus* (Rudolphi, 1809) Kossack, 1911 (Trematoda: Notocotylidae) and their localization in the caecum of the domestic fowl 411

MAKI, JUN and YANAGISAWA, TOSHIO. Acid phosphatase activity demonstrated by intact *Angiostrongylus cantonensis* with special reference to its function 417

PRABHA, C. and PILLAI, N. KRISHNA. *Pseudechetus fimbriatus* gen. et sp.nov., a caligid copepod from Kerala coastal waters 425

BECK, J. T. Population interactions between a parasitic castrator, *Probopyrus pandalicola* (Isopoda: Bopyridae), and one of its freshwater shrimp hosts, *Palaemonetes paludosus* (Decapoda: Caridae) . . 431

LONG, P. L. and MILLARD, B. J. Immunological differences in *Eimeria maxima*: effect of a mixed immunizing inoculum on heterologous challenge 451